Marine Physical Laboratory

Postgraduate Support for Acoustics and Signal Processing in Waveguides Bounded by Inhomogeneous Biot Type Sediments

W. S. Hodgkiss

Supported by the Chief of Naval Research N00014-94-1-0784

Final Report

MPL-U-11/97 July 1997 19971230 085

Approved for public release; distribution is unlimited.

DTIC QUALITY INSPECTED 8

University of California, San Diego Scripps Institution of Oceanography

| REPORT DOCUMENTATION PAGE | | | | | | Form Approved OMB No. 0704-0188 | |
|---|---|---|--|---|--|--|--|
| Public reporing burden for this collection gathering and maintaining the data ner this collection of information, including: | n of information ed ed, and con suggestions for | is estimated to average 1 happeting and reviewing the oreducing this burden, to Warned to the Office of Manager | nour per response collection of informashington Headqu | , including the time for reviewing in: ation. Send comments regarding the arters Services, Directorate for into | structions his burder ormation (| i, searching existing data sources, n estimate or any other aspect of Operations and Reports, 1215 Jefferson | |
| Agency Use Only (Leave B | | 2. Report Date. July 1997 | ement and Budget, Paperwork Reduction Project (0704-0188 3. Report Type and Dates Co Final Report | | | | |
| 4. Title and Subtitle. | | | | | 5. | Funding Numbers. | |
| Postgraduate Support for Acoustics and Signal Processing in Waveguides Bounded by Inhomogeneous Biot Type Sediments | | | | | | 00014-94-1-0784 | |
| 6. Author(s). W. S. Hodgkiss | | | | | | Project No. Task No. | |
| 7. Performing Monitoring Agency Names(s) and Address(es). | | | | | | Performing Organization Report Number. | |
| University of California, San Diego Marine Physical Laboratory Scripps Institution of Oceanography San Diego, California 92152 | | | | | | 1PL-U-11/97 | |
| 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Office of Naval Research Ballston Centre Tower One 800 North Quincy Street Arlington, VA 22217-5660 Robert Gisiner, Code 3410A | | | | | | Sponsoring/Monitoring Agency Report Number. | |
| 11. Supplementary Notes. | | | | | | | |
| | | | | | | | |
| 12a. Distribution/Availability Statement. | | | | | 12 | 12b. Distribution Code. | |
| Approved for public release; distribution is unlimited. | | | | | | | |
| 13. Abstract (Maximum 200 | 0 words). | | | | | | |
| A range-dependent mo media was implemente water waveguides at hi | ed and us | sed to investigate | • | | | - | |
| | | | | | | | |
| 14. Subject Terms. | | | | | | 15. Number of Pages. | |
| acoustic propagation, phase conjugation method, | | | | | | 16. Price Code. | |
| 47 Casusia Olassification | 10 Ca | hy Classifiastias | 10 0 | itu Classifiaatia | | 20. Limitation of Abstract. | |
| 17. Security Classification of Report. Unclassified | tion 18. Security Classification of This Page. 19. Security Classification of Abstract Unclassified | | | None | | | |

Postgraduate Support for Acoustics and Signal Processing in Waveguides Bounded by Inhomogeneous Biot Type Sediments

Final Report

W. S. Hodgkiss

Supported by the Chief of Naval Research N00014-94-1-0784 June 1, 1994 - November 30, 1995

Abstract

A range-dependent model incorporating the Biot theory of acoustic propagation in a fluid-filled porous media was implemented and used to investigate the optimum frequency of propagation in shallow water waveguides at high frequency.

Research Objectives

The objective of this effort was to implement a range-dependent model incorporating the Biot theory of acoustic propagation in a fluid-filled porous media and then use this model to investigate issues related to high frequency propagation in shallow water waveguides.

Research Summary

Biot developed a theory for acoustic propagation in fluid-filled porous media which predicts the existence of two compressional acoustic waves. The faster wave corresponds to the compressional wave propagating

References

through a solid medium and the slower wave rapidly attenuates. Collins at the Naval Research Laboratory extended the parabolic equation (PE) method to handle problems involving poro-elastic layers [1]. This code was used to investigate the optimum frequency of propagation in very shallow water waveguides at high frequency (e.g. coastal shallow water regions). The results of this research are reported in [2].

References

M.D. Collins, W.A. Kuperman, and W.L. Siegmann, "A parabolic equation for poro-elastic media," J. Acoust. Soc. Am. 98: 1645-1656 (1995).

A. Abawi, W.S. Hodgkiss, W.A. Kuperman, and M.D. Collins, "On measuring sediment/Biot properties in shallow water at moderate to high frequencies," J. Acoust. Soc. Am. 96: 3265 (1994).

ONR/MPL REPORT DISTRIBUTION

Office of Naval Research (3)
Department of the Navy
Ballston Tower One
800 North Quincy Street
Arlington, VA 22217-5660
Atten: Robert Gisiner, Code 341OA

Regional Director (1)
ONR Detachment
San Diego Regional Office
4520 Executive Drive, Suite 300
San Diego, CA 92121-3019

Commanding Officer (1)
Naval Research Laboratory
4555 Overlook Avenue, S.W.
Attn: Code 2627
Washington, D.C. 20375-5320

Defense Technical Information Center (4) 8725 John J. Kingman Road Suite 0944 Ft Belvoir, VA 22060-6218